GENERAL

as nzs 3760 2010 sai global

Published: September 19, 2026 | Index ID: #-

Understanding AS/NZS /3760:2010 and Its Availability Through SAI Global

When working in environments where flammable gases, vapours, or dusts are present, the safety of electrical equipment is paramount. A single spark can trigger an explosion, endangering lives, property, and the environment. To mitigate these risks, industry professionals rely on rigorous standards that specify how electrical equipment must be designed, installed, tested, and maintained. One of the most widely recognised standards in New /Zealand —and often referenced worldwide—is **AS/NZS /3760:2010** This document, titled “Safety of electrical equipment for use in hazardous (explosive) atmospheres,” sets the benchmark for ensuring electrical systems operate safely in potentially explosive environments.

For organisations looking to purchase or reference this standard, SAI Global is a trusted distributor that provides easy access to the latest edition, along with accompanying guidance and support. In this article, we explore the scope and significance of AS/NZS 3760:2010, how it aligns with global safety frameworks, and why SAI Global is the go to source for obtaining and understanding this critical standard.

What Is AS/NZS /3760:2010?

AS/NZS /3760:2010 is a joint Australian/New /Zealand standard that harmonises the safety requirements for electrical equipment used in hazardous (explosive) atmospheres. The standard is part of a broader family of documents that collectively ensure equipment can operate without igniting flammable substances. Its key objectives include:

- Defining the criteria for selecting suitable equipment for hazardous areas.
- Specifying installation, maintenance, and testing procedures.
- Providing guidelines for classification of hazardous zones.
- Ensuring that equipment meets the necessary safety ratings (e.g., ATEX, IEC Ex).

By adhering to AS/NZS 3760:2010, organisations demonstrate that they have taken proactive steps to protect personnel, assets, and the environment from explosion risks.

Scope and Applicability

The standard covers:

1. Electrical equipment intended for use in hazardous (explosive) atmospheres, such as gas, vapour, or dust.
2. Equipment that may be installed, repaired, or maintained in such environments.
3. All types of electrical systems, including lighting, instrumentation, and control panels.

It does **not** cover:

- Equipment that is solely intended for use in non hazardous areas.
- Mechanical or structural components unrelated to electrical safety.
- Standards that address chemical or biological hazards.

Key Requirements of the Standard

AS/NZS /3760:2010 introduces several critical concepts that practitioners must understand:

- Hazardous Area Classification – The standard defines three zone classes (Zone /0, Zone /1, Zone /2) for gas and

vapour atmospheres, and three dust zones (Zone /20, Zone /21, Zone /22). Each zone reflects the likelihood and duration of explosive atmospheres.

- Equipment Classification – Electrical devices are classified according to their intrinsic safety, flameproof, or explosion-proof capabilities. The standard outlines how to determine the appropriate classification for a given application.
- Installation Guidelines – Detailed instructions cover mounting, grounding, bonding, and separation distances to prevent ignition sources.
- Maintenance & Inspection – Regular checks, testing, and documentation are required to maintain compliance over time.
- Documentation & Record Keeping – A comprehensive audit trail, including test certificates, installation drawings, and maintenance logs, is essential for regulatory and safety audits.

How AS/NZS /3760:2010 Aligns With Global Safety Standards

While AS/NZS 3760:2010 is specific to New Zealand and Australia, it is heavily influenced by international standards, ensuring seamless integration into global supply chains.

IEC 60079 Series

The IEC 60079 series—particularly IEC 60079-0, IEC 60079-1, and IEC 60079-10—provides the foundational framework for hazardous area classification and equipment safety. AS/NZS 3760:2010 aligns with these IEC standards by:

- Adopting the same zone classification system.
- Requiring equipment to carry the appropriate IEC Ex marking.
- Mandating testing procedures that mirror IEC 60079 test methods.

ISO Standards

ISO 13849 and ISO 12100, which address safety of machinery and risk assessment, are often referenced in conjunction with AS/NZS 3760:2010. By integrating these ISO guidelines, organisations can develop a holistic safety strategy that covers both mechanical and electrical hazards.

ATEX Directive (EU)

In Europe, the ATEX (2014/34/EU) directive governs equipment and protective systems intended for use in potentially explosive atmospheres. AS/NZS 3760:2010 shares many of the same safety objectives and classification principles, making it easier for multinational companies to maintain compliance across different regulatory regimes.

SAI Global: Your Gateway to AS/NZS /3760:2010

SAI Global is a leading provider of standards, technical information, and compliance solutions. Their extensive catalogue includes the latest edition of AS/NZS 3760:2010, making it a convenient and reliable source for professionals who need to access, reference, or purchase the standard.

What Is SAI Global?

Founded in 1989, SAI Global has grown into a global authority on standards, quality, and compliance. They offer:

- Access to thousands of international, national, and industry-specific standards.
- Digital downloads, print copies, and subscription services.
- Expertise in interpreting and applying standards across various sectors.
- Compliance tools and training resources.

Accessing AS/NZS /3760:2010 Through SAI Global

To obtain the standard, organisations can:

1. Visit the SAI Global website and search for “AS/NZS /3760:2010.”
2. Choose between a PDF download or a printed copy.
3. Review the licensing terms—SAI Global typically offers a perpetual license for the standard, allowing unlimited use within the purchaser’s organization.
4. Download the file or receive the print copy via mail.

Once acquired, users can reference the standard in engineering documents, safety plans, and compliance audits. SAI Global also provides supplementary resources such as technical bulletins, application notes, and training modules that help practitioners implement the standard effectively.

Licensing and Usage Rights

SAI Global’s licensing model grants organisations the right to:

- Use the standard within the scope of their business operations.
- Distribute the standard internally to employees and contractors.
- Integrate the standard’s requirements into design documents, safety procedures, and quality management systems.

It is important to note that the standard cannot be redistributed publicly or sold to third parties without explicit permission from SAI Global.

Practical Application of AS/NZS /3760:2010

Implementing AS/NZS 3760:2010 is not merely a legal requirement; it is a cornerstone of operational safety. Below is a step by step guide that organisations can follow to ensure full compliance.

1. Identify Hazardous Areas

Conduct a thorough risk assessment to determine:

- Which zones are present in your facility (Zone /0, Zone /1, Zone /2, or dust zones).
- Which equipment will operate in those zones.
- Potential sources of ignition (e.g., static electricity, hot surfaces).

2. Select Appropriate Equipment

Choose devices that carry the correct IEC Ex marking for the identified zones. For example:

- For Zone /0 (continuous presence of explosive atmosphere), equipment must be intrinsically safe or explosion-proof.
- For Zone /1 (frequent presence), equipment may be flameproof or intrinsically safe.
- For dust zones, devices must be dust rated (e.g., IP67 or higher).

3. Install According to Guidelines

Follow the installation instructions in AS/NZS /3760:2010:

- Use proper mounting hardware and sealing techniques.
- Maintain required separation distances from ignition sources.
- Ensure proper grounding and bonding to prevent static discharge.

4. Test and Certify

After installation, perform:

- Functional tests to confirm the equipment operates correctly.
- Explosion safety tests to verify compliance with IEC 60079 standards.
- Documentation of test results, including certificates and inspection reports.

5. Maintain and Inspect Regularly

Establish a maintenance schedule that includes:

- Periodic visual inspections for corrosion or damage.
- Annual or semi annual functional tests.
- Record keeping of all maintenance activities, with dates and responsible personnel.

Industry Use Cases

Baca Juga (Artikel Terkait)

- **advanced engineering electromagnetics solution manual edition hardcover by balanis constantine a published by wiley**
  URL: http://djjsearch.com/advanced-engineering-electromagnetics-solution-manual-edition-hardcover-by-balanis-constantine-a-published-by-wiley.pdf
- **advanced engineering electromagnetics solutions manual**
  URL: http://djjsearch.com/advanced-engineering-electromagnetics-solutions-manual.pdf
- **advanced engineering electromagnetics wiley 1989 grading**
  URL: http://djjsearch.com/advanced-engineering-electromagnetics-wiley-1989-grading.pdf
- **advanced engineering fluid mechanics by biswas**
  URL: http://djjsearch.com/advanced-engineering-fluid-mechanics-by-biswas.pdf